

FIG. 1





FIG. 2A







FIG. 4




FIG. 5A




FIG. 5B




FIG. 6





FIG. 7A



TO FIG. 7B

FROM FIG. 7A





FIG. 7B

FIG. 8B FROM FIG. 8A







FIG. 9A TO FIG. 9B

FIG. 9B FROM FIG. 9A







FIG. 10A TO FIG. 10B

```

+-----+-----+-----+-----+-----+-----+-----+-----+
| + | + | + | + | + | + | + | + |
| rts\ f_sub \.text | rts\ f_error \.text | etext__ | etext | SARAM | code_page_0 | code_page_0_MP1 | vectors | code_page_1 | code_page_2 | code_page_3 | code_page_4 | code_page_5 |
+-----+-----+-----+-----+-----+-----+-----+-----+

```



Strategy



```

CHANGE entry OF rts.lib\boot.obj\text\_c_int00 TO TRUE
NEW child output file OF Output Files WITH full_path=.\a.out HOLDING map EVM320LC549_ovly1
CHANGE out file name OF Output Files\a.out TO ".\bob.out"
CHANGE map file name OF Output Files\bob.out TO ".\bob.map"
NEW child output section OF run_view\program_memory\SARAM WITH name=.const data_kind
=constants
MOVE children of run_view\Not Yet Placed WITH kind=input section, data_kind=constants TO
run_view\program_memory\SARAM\const
NEW child output section OF run_view\program_memory\DARAM WITH name=.text data_kind=
=code
MOVE objects reachable from rts.lib\sqrt.obj\text WITH kind=any section, data_kind=code TO
run_view\program_memory\DARAM\text
⇒END bob

```

```

i INFO link-time symbol__etext__defined
i INFO .text has been automatically added

```

040000h

Ready